

Index

A

ABS built-in function
 in database files, 4-14
 in worksheet files, 5-8
 ACOS built-in function
 in database files, 4-14
 in worksheet files, 5-9
 Add or Remove a Device
 command, 2-2
 Alignment, 3-14
 ALT key, AG-5ff
 AND statements, 4-10
 Append Printer Copy to a File,
 3-32, 7-20
 Append to a File, 3-22
 application, defined, G-1
 ASCII
 defined, G-1
 entering special characters,
 7-5, AJ-1ff
 table, AB-1ff
 ASIN built-in function
 in database files, 4-14
 in worksheet files, 5-9
 Assign Password command, 2-2
 asynchronous, defined, G-1
 ATN built-in function
 in database files, 4-14
 in worksheet files, 5-9
 AVG built-in function, 5-9
 Axis Selection command, 6-8
 axis, left or right of graph
 determining scale factor, 6-8ff
 placement of scale on, 6-30

B

background grid
 defined, 6-7
 option, 6-14
 backquote, entering, AB-4
 backup
 commands used, 1-12ff
 defined, G-1
 diskette to diskette,
 1-13, AF-1, AF-2
 purpose, 1-12
 Bar Orientation, 6-16
 BASIC, defined, G-1
 baud rate
 defined, G-1
 in Sign-on form, 2-15
 Begin Selection, 3-1
 bisine characters, entering,
 AB-1, AB-2
 bit, defined, G-1

Boldface command (Abo), 8-23
 boldface typeface, printing
 from Set Printing Options
 form, 3-35
 with embedded commands,
 8-24
 boot (*see* start-up)
 bottom heading, defined, 6-7
 Bottom Margin At, 3-34
 Bottom Margin command (Abm),
 8-14ff
 brackets, entering, AB-4, AB-5
 bubble memory, defined, G-1
 built-in function
 defined, G-1
 in database files, 4-14
 in worksheet files, 5-6ff
 byte, defined, G-1

C

Calculate command, 5-16, 5-17
 Cancel command, 3-2
 Cancel Start-Up File, 2-3
 CAPS LOCKED key, AG-5ff
 carriage-return character,
 entering, AB-1
 CCOS
 defined, G-1
 required for start-up, 1-6
 CELL built-in function, 5-9
 cell coordinate, defined, G-1
 cell definition
 defined, G-1
 duplicating, 5-22ff
 examples, 5-20
 how to create, 5-18
 parts, 5-19ff
 purpose, 5-18
 cell range, (*see* range, cell)
 cell, defined, G-1
 Center Line command (Acl), 8-21
 Change File Protection
 command, 2-4
 character size, (*see* typeface size)
 character stream, defined, G-2
 characters, control
 how to enter, AB-1ff
 circular references, in
 worksheets, 5-17
 Clustered Bar graphs, 6-21
 CODE key
 defined, G-2
 moving about in forms with,
 1-3
 CODE key, selecting data with,
 AG-1ff
 CODE- =
 in database files, 4-9
 in worksheet files, 5-18, 5-32
 CODE-A (*see* Access command)
 CODE-B (*see* Begin Selection)
 CODE-BACKSPACE (*see* Erase
 Word)
 CODE-C (*see* Column Selection)
 CODE-D (*see* Duplicate Files,
 Duplicate Cells or Text)
 CODE-E (*see* Erase Subjects or
 Files, Erase Cells or Text)
 CODE-ESC (*see* Cancel
 command)
 CODE-F (*see* Find)
 CODE-G (*see* Graph command)
 CODE-I (*see* Insert command)
 CODE-J (*see* Jump command)
 CODE-M (*see* Move Files, Move
 Cells or Text)
 CODE-O (*see* Options form)
 CODE-P (*see* Properties form)
 CODE-Q (*see* Quit command)
 CODE-R (*see* Row Selection)
 CODE-RETURN (*see* Calculate,
 Confirm)
 CODE-S (*see* Substitute
 command)
 CODE-T (*see* Transfer command)
 CODE-V (*see* Views command)
 CODE-W (*see* wildcard character)
 column, defined, G-2
 column definition
 defined, G-2
 column definition property
 in database files, 4-17
 Column Index property, 4-18
 column name
 defined, G-2
 property in database file, 4-18
 using in the Find form,
 4-11, 4-12
 column reference letter
 defined, G-2
 in conditional statements,
 4-11, 4-12
 Column Selection command
 how to use, 3-2
 with database files, 4-6
 Column Spacing, 3-34
 Column Width property
 overflow display, 3-14
 purpose, 3-14

command, defined, G-2
 Commands command, 3-3
 common command, defined, G-2
 Common, defined, G-2
 communications
 Sign-on command, 2-14ff
 telephone handset, 1-11
 terminal emulators, 1-11
 with file server device, 1-10, 1-11
 with GRiD Central, 1-10, 1-11
 compress, defined, G-2
 compressing database files
 after CODE-C in databases, 4-6
 Compress command, 4-6
 precautions before, 4-6
 Condensed command (Λ c), 8-24
 condensed typeface, printing
 from Set Printing Options form, 3-35
 with embedded commands, 8-24
 conditions, in database files, 4-10ff
 confirm, how to, 3-3
 control characters, entering, AB-1ff
 copying data
 (see duplicate, duplicating)
 COS built-in function
 in database files, 4-14
 in worksheet files, 5-9
 COUNT built-in function, 5-10
 Current Plotter, 2-9
 Current Printer, 2-10
 Current Typeface, changing
 in all applications, 2-10, 2-11
 in one application, 3-10ff
 cursor, defined, G-2
 Cursor: Cursor Wrap, 7-10
 Cursor: Movement by, 7-10

D
 data, recovering lost, 1-14
 database
 automatic insertion of
 column letter in queries, 4-9
 column name in queries, 4-9
 date, 4-19
 formulas, 4-17
 time, 4-19
 value, 4-19
 command overview, 4-3
 compressing, 4-6
 creating and querying, 4-1, 4-2

creating space by compressing, 4-6
 damage, repairing, AH-1, AH-2
 data, restoring lost, AH-1, AH-2
 default values, 4-19
 defined, G-2
 defining columns, 4-17
 description of display, 4-2
 displaying data after retrieval, 4-2
 displaying selected records, 4-6
 file, defined, G-2
 finding records in, 4-7ff
 index files, purpose, 4-18
 kind, purpose, 1-8
 legal characters, 4-19
 out-of-space conditions, 4-5
 repairing a file, 4-3
 searching on conditions, 4-7ff
 size, controlling, 4-5
 sorting database entries, 4-20ff
 sorting, example, 4-21ff
 space, creating additional, 4-5
 substituting characters in, 4-24
 transferring to graph file, 4-2

date
 automatic insertion in database, 4-19
 printing in header, 8-7, 8-8
 setting, 2-12, 2-13
 Date command (Λ d), 8-7ff
 DATES built-in function, 4-14
 decimal places, number in data, 5-30
 Default Value property, 4-19
 Define Cell command, 5-18ff
 definition area, defined, G-2
 device
 adding after start-up, 2-2
 defined, G-2
 initializing, AF-2ff
 kind, purpose, 1-8
 Dial Type, in Sign-on form, 2-16
 Direction
 in Find command, 7-8
 in Substitute command, 3-22
 diskette
 copying to another, 1-13
 defined, G-2
 initializing, AF-2ff, 1-4
 Display Subjects, 2-24
 Display Titles, 2-21, 2-22
 Display: Format Characters, 7-13
 Display: Ruler, 7-14

Duplicate Cells or Text command
 in GRiDPlan, 5-22ff
 in other applications, 3-4ff
 Duplicate File command, 2-4ff
 Duplicate Media utility
 how to use, AF-1, AF-2
 purpose, AF-1
 duplicating data
 in GRiDPlan, 5-22ff
 in other applications, 3-4ff
 duplicating files
 how to, 2-4ff
 latest version, 2-5
 matching, 2-6
 multiple, 2-7
 using wildcard character, 2-7, 2-26
 worksheet cells, 5-22ff

E
 Edit Sign-On Form, 2-8
 Eject Page command (Λ ep), 8-20
 emulator, defined, G-2
 Enlarged command (Λ en), 8-24
 enlarged typeface, printing
 from Set Printing Options form, 3-35
 with imbedded command, 8-24
 erasing a subject or file
 from GRiDManager, 2-8
 from Transfer menu, 3-23
 erasing cells and/or text
 Erase Cells or Text command
 description, 3-6
 considerations with databases, 4-6
 restoring erased data, 3-6
 erasing with functions keys, 7-7, 3-7
 error
 messages, 9-1ff
 printer requirements, 2-10
 stopping for, 2-11
 messages, 9-1
 Evaluation Order options, in GRiDPlan, 5-29
 Exchange for Another File, 3-23
 Executive, defined, G-2
 EXP built-in function
 in database files, 4-14
 in worksheet files, 5-10
 expression
 defined, G-2
 rules for writing, 5-20, 5-21, 5-6

F**File**

- assigning password to, 1-9
- defined, G-2
- protecting, 2-4

file, length, determining, 2-19

File form

- defined, G-2
- device, 1-4
- GRiD Central Devices, 1-5
- how to fill in, 1-2ff
- Kind, 1-7ff
- Password, 1-9
- purpose, 1-2, 1-3
- Subject, 1-5
- Title, 1-6, 1-7

file server device

- changing password, AF-12
- defined, G-2
- required files for, AA-2
- signing off, 2-13
- signing on, 2-14ff

files, printing multiple, 8-11

Find

- in GRiDFile, 4-7ff
- in GRiDWrite, 7-7ff

First Footer command (Λff), 8-7ff

First Header command (Λfh), 8-7ff

Floppy Disk, G-3

floppy disk drive, defined, G-3

font (*see* typeface)

Footer command (Λfo), 8-7ff

footer commands (*see* header and footer commands)

Footer Line command (Λfl), 8-7ff

form, defined, G-3

Format item in axis selection, 6-10

Format property, 3-15

Format This File, 7-21

Format, 7-19

formatting (*see* text formatting)

formula, automatic insertion in database, 4-17

G

GPIB, defined, G-3

graph

- appearance, controlling, AE-6ff
- axis left or right
 - determining scale factor, 6-8ff
 - placement of scale on, 6-30
- bar orientation, 6-16

bar, 6-20, 6-21

determining graphed data

- by properties, 6-28, 6-29

- by selection, 6-11ff

displaying on screen,

- 6-11, 6-12

Don't Change example, AE-6ff

examples of types available,

- 6-19ff

explanatory text in, 6-12, 6-13

file, defined, G-3

from worksheet, database files,

- 6-3

headings, specifying,

- 6-12, 6-13

high-low-close, 6-24

horizontal line, Grid, 6-22

how to create, 6-1ff

image, saving in file, 6-39

label

- designating in graph table, 6-28

- formatting, AE-1ff

- orientation, 6-16ff

- placing in headings,

- 6-12, 6-13

line, 6-22

pattern, determining, 6-31

plotter, how to use,

- 6-36, 6-37

printing

- as part of a document,

- 6-39, 8-12

- on a plotter, 6-33ff

- on a printer, 6-38

- on screen display, 6-11

properties, 6-25

scale

- defined, 6-7

- determining scale factor, 6-8ff

- on left, right axis, 6-30

scatter, 6-23

selecting data to be graphed,

- AG-1ff

table

- entries in, 6-4

- moving about in, 6-5

techniques in creating, AE-1ff

writing to file, 6-39

Graph command, 6-11, 6-12

GRiD Central

changing password, AF-12

defined, G-3

required files in Programs, 1-6

signing off, 2-13

signing on, 2-14ff

GRiD Server (*see* file server device)

GRiD-OS

use during start-up, 1-1, AA-1

defined, G-3

GRiD3101, defined, G-3

GRiDBASIC, defined, G-3

GRiDFile

commands overview, 4-3

defined, G-3

how to use, 4-1, 4-2

(*see also* database)

GRiDFileRepair utility, overview, 4-3

GRiDLink, defined, G-3

GRiDManager

activating, 2-1

commands overview, 2-1

defined, G-3

purpose, 2-1

GRiDPlan

commands overview, 5-3

defined, G-3

how to use, 5-1, 5-2

(*see also* worksheet)

GRiDPlot

commands overview, 6-4

defined, G-3

how to use, 6-1ff

(*see also* graphs)

GRiDTerm, defined, G-3

GRiDVT100, defined, G-4

GRiDWrite

command overview, 7-3

defined, G-4

how to use, 7-1ff

(*see also* text editing, text formatting)

H

hard disk, defined, G-4

hardware, defined, G-4

Hayes SmartModem

- switch settings, AG-9

header and footer commands

Date command (Λd), 8-7ff

First Footer command (Λff),

- 8-7ff

First Header command (Λfh),

- 8-7ff

Footer command (Λfo), 8-7ff

Footer Line command (Λfl),

- 8-7ff

Header command (Λhe), 8-7ff

Header Line command (Λhl),

- 8-7ff

Left Footer command (Λlf),

- 8-7ff

Left Header command (Δ lh), 8-7ff
 Page Number, insert command (Δ p), 8-7ff
 Right Footer command (Δ rf), 8-7ff
 Right Header command (Δ rh), 8-7ff
 Time command (Δ t), 8-7ff
 Header command (Δ he), 8-7ff
 Header Line command (Δ hl), 8-7ff
 headers and footers how to use, 8-7ff
 headers, setting
 from Set Printing Options form, 3-34ff
 with embedded command, 8-7ff
 Heading command
 for graphs, 6-12, 6-13
 for worksheets, 5-26ff
 heading text, 3-35
 help commands, 3-6, 1-3
 Horizontal Axis command, 6-8

I
 Include a File, 3-25
 Include File command (Δ if), 8-11
 Include Screen Image command (Δ si), 8-12
 indexed files, database, 4-18
 Initialize Media utility, AF-2ff
 initializing permanent storage
 how to, AF-2ff
 MS-DOS considerations, AF-2
 input/output, defined, G-4
 Insert command, 3-7, 3-8
 inserting blank lines
 in a text document, 8-19
 inserting rows or columns
 how to, 3-7, 3-8
 INT built-in function, 5-10
 interface, defined, G-4
 IRR built-in function, 5-10
 Italics command (Δ it), 8-23

J, K

Jump command
 in GRiDPlan, 5-28
 in GRiDWrite, 7-9
 justifying data in cells
 in Options form 3-12
 in Properties form 3-14
 justifying right margins, 8-22
 Kind
 defined, G-4

list, updating with command, 2-2
 purpose, 1-7
 types and uses, 1-9
 Kind of Data, in graphs
 Don't Graph example, 6-28
 effects on data to be plotted, 6-28
 item in Properties form, 6-28

L

Left Axis command, 6-8
 Left Footer command (Δ lf), 8-7ff
 Left Header command (Δ lh), 8-7ff
 Left Indent command (Δ li), 8-14ff
 Left Margin command (Δ lm), 8-14ff
 length of file, determining, 2-19
 Line Spacing command (Δ ls), 8-21
 line-feed character, entering, AB-1
 list, defined, G-4
 locate (*see* Find command)
 LOG built-in function
 in database files, 4-14
 in worksheet files, 5-11
 LOG10 built-in function
 in database files, 4-14
 in worksheet files, 5-11

M

main memory, defined, G-4
 management tool, defined, G-4
 Margin command (Δ rm), 8-14ff
 margins, specifying
 from Set Printing Options form, 3-34ff
 with embedded commands, 8-14ff
 Margins: Automatic Indent
 option, 7-15
 Margins: Text File Width, 7-15
 Match, in Substitute command, 3-20
 MAX built-in function, 5-11
 Media Repair Utility
 how to use, AF-5ff
 messages, AF-7
 medium, defined, G-4
 menu, defined, G-4
 message
 defined, G-4
 error, 9-1
 line, defined, G-4
 Media Repair, AF-7

MIN built-in function, 5-11
 MIRR built-in function, 5-11
 Modem Type, in Sign-on form, 2-16
 Modem, defined, G-5
 modem
 defined, G-4
 Hayes SmartModem, switch settings for, AG-9
 Move Cells or Text command
 considerations with databases, 4-10, 4-6
 how to use, 3-8, 3-9
 Move Files command
 how to use, 2-8, 2-9
 moving multiple files, 2-8, 2-9
 renaming files with, 2-8
 moving data within a file, 3-8, 3-9

N

Need Lines command (Δ nl), 8-20
 New Version Only, 2-5
 Next Action
 in Exchange for Another File, 3-24
 in Write to a File, 3-28
 Non-unique entries in a database, 4-18
 NPV built-in function, 5-12

O

operators
 in database files, 4-11ff
 in worksheet files, 5-19ff
 Options form
 common items, 3-10ff
 in GRiDFile, 4-15, 4-16
 in GRiDManager, 2-9
 in GRiDPlan, 5-29ff
 in GRiDPlot, 6-14ff
 in GRiDWrite, 7-10ff
 OR statements, in Find (Query), 4-10
 overflow in worksheet columns, 3-14, 3-15

P

Page Eject command (Δ ep), 8-20
 page layout commands
 Bottom Margin command (Δ bm), 8-14ff
 Left Indent command (Δ li), 8-14ff
 Left Margin command (Δ lm), 8-14ff
 Margin command (Δ rm), 8-14ff

- Right Indent command ($\wedge$ ri), 8-14ff
- Right Margin command ($\wedge$ rm), 8-14ff
- Temporary Indent command ($\wedge$ ti), 8-14ff
- Top Margin command ($\wedge$ tm), 8-14ff
- page numbering
 - from Set Print Options form, 3-35, 3-33
 - with text formatting commands
 - First Page Number Option, 7-21ff
 - Page Number, insert command ($\wedge$ p), 8-7ff
 - Page Number, set command ($\wedge$ p_n), 8-21
- password
 - assigning or changing
 - for a file, 2-2
 - for file server device, AF-12
 - for GRiD Central, AF-12
 - defined, G-5
 - forgetting, 2-2
- pathname syntax, AD-1
- pattern in graphs, 6-31
- permanent storage, defined, G-5
- Phone Number, in Sign-on form, 2-16
- PhoneLink, defined, G-5
- PI built-in function
 - in database files, 4-14
 - in worksheet files, 5-13
- pie charts
 - description, 6-22, 6-23
 - orientation in, 6-18, 6-19
- Plot Graph on Plotter, 6-33ff
- plotter
 - defined, G-5
 - how to use, 6-36, 6-37
 - printing a graph on, 6-33ff
 - problems, 6-33, 6-34
 - Programs files required, 2-9
 - setting up, 2-9
 - switch settings, 6-33, 6-34
- Pointer command, 5-32
- portable floppy, defined, G-5
- portable floppy disk drive, defined, G-5
- Precision options, in GRiDPlan, 5-30
- Print Definitions, 3-32
- Print Graph on Printer, 6-38
- Print Query Conditions, 3-32
- Print Size, 3-35
- Print Subjects to a File, 2-24
- Print Subjects, 2-24
- Print This File, 3-33
- Print Titles to a File, 2-24
- Print Titles, 2-24
- Print, 3-25, 3-32ff
- printer
 - controlling form feed, 3-34
 - defined, G-5
 - halting, 7-21, 7-4, 7-5
 - interface commands, AG-2
 - Programs file required, 2-10
 - set-up how to, 2-10
 - set-up requirements, 1-10
 - specifying in Options form, 2-10
- printing
 - a document, 7-3ff
 - a graph, 6-9, 8-12
 - by page number, 7-22
 - graphs
 - as part of a document, 6-39, 7-9, 8-12
 - on a plotter, 6-33ff
 - on a printer, 6-38
 - on screen display, 6-11
 - multiple files, 8-12
 - screen images, 8-12
- printing multiple files, 8-11
- Program files
 - purpose, 1-6
 - list of
 - application utility, AA-6
 - applications, AA-5
 - for file server device, AA-2
 - for GRiD Central, AA-2
 - for start-up, AA-1
 - system and device, AA-2ff
- program, defined, G-5
- Properties form
 - common functions, 3-13ff
 - in GRiDFile, 4-16ff
 - in GRiDPlan, 3-13ff, 5-33ff
 - in GRiDPlot, 6-25ff
- protocol, defined, G-5
- Q, R**
- query, defined, G-5
- Quit command, 3-16
- range, cell
 - defined, G-5
 - entering automatically, 5-32, 5-8
 - in a worksheet expression, 5-6ff
- Recalculate (*see* Calculate command)
- record, defined, G-5
- recovering
 - database file, AH-1, AH-2
 - lost data, AF-5ff
- Remark command ($\wedge$ re), 8-13
- renaming subjects, 2-8
- Replace with, in Substitute command, 3-19
- replacing data
 - in database files, 4-14
 - in text files, 3-18ff
- Report command, 4-20ff
- Reserve Lines command ($\wedge$ rl), 8-20
- restoring
 - damaged storage media, AF-5ff
 - database file, AH-1, AH-2
- RETURN key, to move about files, 1-3, AG-1ff
- right axis
 - command, 6-8
 - defined, 6-7
- Right Footer command ($\wedge$ rf), 8-7ff
- Right Header command ($\wedge$ rh), 8-7ff
- Right Ident command ($\wedge$ ri), 8-14ff
- Right Margin At, 3-35
- Right Margin command ($\wedge$ rm), 8-14ff
- RJ-11, defined, G-5
- RND built-in function, 5-13
- ROUND built-in function
 - in database files, 4-14
 - in worksheet files, 5-14
- Row Headings, 3-36
- Row Selection command, 3-16
- row, defined, G-5
- Run kind, purpose, 1-9
- S**
- Save Changes
 - in Exchange for Another File, 3-24
 - in Write to a File, 3-32
- Save This File, 3-25
- Save This Sign-On File, 2-19
- save, defined, G-6
- saving sign-on file, 2-19
- Scale Factor item in axis selection, 6-10
- Scale item in axis selection, 6-10
- scale, graph
 - defined, 6-7
 - determining applicable axis, 6-30
 - determining scale factor, 6-8ff

- scatter graphs, 6-23
 - Screen Frame, 2-10
 - Screen Image command (Δ si), 8-12
 - screen images
 - printing, 8-12
 - saving in a file, AF-11
 - ScreenWatch utility, AF-11
 - search (see Substitute command)
 - SEARCH built-in function, 5-14
 - Search for, in Substitute command, 3-19
 - segmented bar graphs, 6-20
 - select prompt, response to
 - with functions keys
 - GRiD Compass computer, AG-1ff
 - IBM Personal Computer, AG-5, AG-6
 - with CODE-B, 3-1
 - with CODE-C, 3-2
 - with CODE-R, 3-16
 - Select Start-Up File, 2-12
 - Set Printing Option, 3-33
 - Set Time command, 2-12, 2-13
 - SGN built-in function
 - in database files, 4-14
 - in worksheet files, 5-15
 - SHIFT key, to move about files, 1-3
 - Show Characteristics of a File
 - command description, 3-26
 - example of a report, 3-26
 - for multiple files, 2-19, 2-20
 - Show Grid option, 5-31
 - Sign-Off command, 2-13
 - Sign-On command, 2-14ff
 - sign-on form
 - editing, 2-8
 - filling out, 2-14ff
 - for file server device, 2-14ff
 - for GRiD Central, 2-14ff
 - kind, purpose 1-9
 - Sign-on, defined, G-6
 - SIN built-in function
 - in database files, 4-14
 - in worksheet files, 5-15
 - size
 - database, controlling, 4-5
 - file, determining, 3-26
 - main memory, determining, 3-37
 - subject, determining, 2-19, 2-20
 - worksheets, controlling, 5-30, AI-1, AI-2
 - size, typeface, determining
 - in printed documents
 - from Set Printing Options form, 3-35
 - with embedded commands, 8-24
 - on screen display
 - in all applications, 2-11
 - in one application, 3-10
 - Skip Lines command (Δ sl), 8-19
 - software, defined, G-6
 - sort, defined, G-6
 - sorting database records, 4-20ff
 - space management
 - calculating space
 - available, 3-37
 - needed, AG-3
 - occupied by a file, 2-19, 3-26
 - commands used, AG-2ff
 - database considerations, 4-5
 - deleting unnecessary files, AG-2ff
 - worksheet considerations, 5-30, AI-1, AI-2
 - Speaker Volume, 2-17
 - SQR built-in function
 - in database files, 4-14
 - in worksheet files, 5-15
 - Standard Alignment option, 3-12
 - Standard Column Width option, 3-12
 - Standard Format option
 - description, 3-12
 - GRiDPlan considerations, 3-12
 - start-up
 - defined, G-6
 - description of process, AA-1
 - from bubble memory, 1-1
 - from disk, 1-1
 - from floppy, portable 1-1
 - Program files used, AA-1
 - required files in Programs, 1-6
 - warm, 1-2
 - start-up file
 - canceling, 2-3
 - defined, G-6
 - specifying, 2-12
 - Stop for Errors, 2-11
 - storage
 - available, determining, 3-37
 - initializing, AF-2ff (see also size)
 - Subject, defined, G-6
 - Subscript command (Δ sb), 8-23
 - subscripts, printing, 8-23
 - Substitute command
 - in GRiDFile, 4-24, 3-18ff
 - in GRiDWrite, 3-18ff
 - substituting in text files
 - how to, 3-18ff
 - techniques, 3-19
 - SUM built-in function, 5-15
 - Superscript command (Δ sp), 8-23
 - superscripts, printing, 8-23
 - synchronous, defined, G-6
 - System-Wide Typeface, 2-10, 2-11
- T**
- tab character, entering, AB-1
 - Tab For Cell-Based Files, 7-16
 - TAB key, Set/Delete command, 7-18
 - TAB key, to move about files, AG-1ff
 - Tab Stops: First option, 7-16
 - tabs
 - deleting, 7-18
 - setting in Options form, 7-16, 7-17
 - setting with function keys, 7-18
 - TAN built-in function
 - in database files, 4-14
 - in worksheet files, 5-15
 - telephone equipment
 - checklist for communications, AC-1
 - multiple-line connections, AC-2, AC-3
 - single-line connections, AC-2
 - Temporary Indent command (Δ ti), 8-14ff
 - terminal emulator, defined, G-6
 - text editing
 - command overview, 7-6
 - creating text file, how to, 7-1ff
 - cursor control, 7-10
 - defined, G-6
 - entering special ASCII characters, 7-5
 - finding text, 7-7ff
 - how to create a document, 7-1ff
 - ruler, displaying, 7-14
 - substituting text, 3-18ff
 - typing in text, 7-1, 7-2
 - width of file, controlling, 7-15
 - text file, defined, G-6
 - text formatting
 - centering text, 8-21
 - command summary, 8-1ff
 - command syntax, 8-5

- commands, changing
 - designator, 8-13
- date, inserting automatically, 8-7ff
- halting printer, 7-21
- headers and footers, 8-7ff
- how to print a document, 7-3ff
- indenting text, 8-14ff
- inserting blank lines, 8-19
- italics, 8-23
- justifying text, 8-22
- keeping text together, 8-20
- line spacing, 8-21
- margins, 8-14ff
- page ejection, 8-20
- page layout, 8-14ff
- page numbering, 8-7ff, 8-14ff
- print copy
 - to display, 7-23
 - to file, 7-22
 - to printer, 7-21
 - to screen, 7-23ff
- printing
 - a document, 7-3ff
 - a graph, 6-39, 8-12
 - by page number, 7-23
 - multiple files, 8-12
 - screen images, 8-12
- reserving lines, 8-20
- skipping pages, 8-20
- specifying margins, 8-14ff
- text layout commands, 8-18ff
- time, inserting automatically, 8-7ff
- typeface, 8-22ff
- underlining text, 8-23
- Text kind, purpose, 1-9
- text layout commands
 - Eject Page command ($\wedge$ ep), 8-20
 - Line Spacing command ($\wedge$ ls), 8-21
 - Need Lines command ($\wedge$ nl), 8-20
 - Page Eject command ($\wedge$ ep), 8-20
 - Page Number, set, command, 8-21
 - Reserve Lines command ($\wedge$ rl), 8-20
 - Skip Lines command ($\wedge$ sl), 8-19
- Time command ($\wedge$ t), 8-7ff
- time of day
 - automatic insertion in database, 4-19
 - printing in header, 3-35, 8-8ff
 - setting, 2-12, 2-13
- TIME\$ built-in function, 4-14
- Title, defined, G-6
- Title, in File form, 1-7
- title: line 1, defined, 6-7
- title: line, 2, defined, 6-7
- Top Margin at, 3-36
- Top Margin command ($\wedge$ tm), 8-14ff
- Top Number item in axis selection, 6-10
- Transfer command
 - in all applications, 3-22ff
 - in all applications, 3-22ff
 - in GRiDManager, 2-18ff
 - in GRiDPlot, 6-33ff
 - in GRiDWrite, 7-20ff
- Transposed option, 6-18
- TRUNC built-in function
 - in database files, 4-14
 - in worksheet files, 5-15
- typeface commands
 - Boldface command ($\wedge$ bo), 8-23
 - boldface typeface, printing, 8-23
 - Condensed command ($\wedge$ co), 8-24
 - Enlarged command ($\wedge$ en), 8-24
 - Italics command ($\wedge$ it), 8-23
 - Subscript command ($\wedge$ sb), 8-23
 - Superscript command ($\wedge$ sp), 8-23
 - Underline command ($\wedge$ un), 8-23
- typeface, defined, G-6
- typeface, determining
 - in printed documents
 - from Set Printing Options form, 3-35
 - with embedded commands, 8-24
 - on screen display
 - in all applications, 2-11
 - in one application, 3-10
- U, V
- Underline command ($\wedge$ un), 8-23
- Unique entries in a database, 4-18
- User Sentry utility, AF-12
- utility, defined, G-6
- value, automatic insertion in database, 4-19
- Verification
 - in Duplicate File command, 2-5
 - in Substitute command, 3-21
- Verify Duplicate Form, 2-4ff
- Views command, 5-36ff
- Voice Before Data, 2-17
- VT100 kind, purpose, 1-9
- W
- Wait For Answer, 2-18
- Which Files, 2-6
- Wildcard character
 - commands used with, 2-26
 - defined, G-7
 - in database files, 4-25, 4-12
 - purpose, 2-26
 - rules, 2-26
 - using to show file characteristics, 2-19
 - with CODE-F in GRiDFile, 4-12
 - with Display Subjects
 - example, 2-24
 - how to, 2-24
 - with Display Titles
 - example, 2-21, 2-22
 - how to, 2-22
 - with Duplicate Files
 - example, 2-7
 - how to use, 2-7
 - with Erase Subjects or Files, 2-8
 - with Move Files, 2-8, 2-9
- word processing
 - (see text editing, text formatting)
- word wrap, defined, G-7
- worksheet
 - cell content rules, 5-5
 - cells value, calculating, 5-16, 5-17
 - cells value, defining, 5-18ff
 - circular reference, 5-17
 - command overview, 5-3
 - conserving space, 5-30
 - creating, 5-1, 5-2
 - defined, G-7
 - defining cells for, 5-18
 - display, explained, 5-3, 5-4
 - duplicating cells and definitions, 5-22ff
 - evaluation of cells, 5-6, 5-29
 - forward reference, 5-16
 - handling oversize worksheets, AI-1, AI-2
 - headings, locking, 5-26ff

- kind, purpose, 1-9
- maximum size, AI-1
- medium-full condition, AI-2
- order of calculation, 5-16
- out-of-memory condition, AI-2
- precision, 5-30
- printing, 5-2
- rules for cell contents, 5-5
- splitting views, 5-36ff
- transferring to database files,
5-2
- transferring to graph file, 5-2
- Write Graph to File, 6-39
- Write Printer Copy to a File,
3-36, 7-22
- Write Printer Copy to the Screen,
7-23
- Write Sign-on Form to a File,
2-20
- Write To a File, 3-27ff
- writing and following files
 - examples, 3-28ff
 - purpose, 3-28ff